


9/268

RECEIVED  
CENTRAL FAX CENTER  
JUL 25 2006**Current Listing of Claims**

Claim 1 (previously amended): A compound of the formula (I)



wherein:

$\text{Ar}_1$  is carbocycle substituted with one  $\text{R}_1$ , and wherein  $\text{Ar}_1$  is independently substituted with two  $\text{R}_2$  groups;

$\text{R}_1$  is  $\text{NO}_2$ ,  $-\text{N}(\text{R}^c)_2$ ,  $\text{J}-\text{C}(\text{O})-\text{N}(\text{R}^c)-$  or  $\text{J}-\text{S}(\text{O})_m-\text{N}(\text{R}^c)-$

$m$  is 0, 1 or 2

and wherein  $\text{R}^c$  is chosen from hydrogen or C1-5 alkyl;

$\text{J}$  is chosen from C1-10 alkyl and carbocycle each optionally substituted by  $\text{R}^b$ ;

$\text{R}_2$  is chosen from C1-6 alkyl or C3-7 cycloalkyl which may optionally be partially or fully halogenated, C1-4 acyl, aryl, C1-4 alkoxy, which may optionally be partially or fully halogenated, halogen, C1-6 alkoxycarbonyl, carbocyclesulfonyl and  $-\text{SO}_2-\text{CF}_3$ ;

$\text{R}_3$ ,  $\text{R}_4$ ,  $\text{R}_6$ ,  $\text{R}_7$  and  $\text{R}_8$  are each independently chosen from hydrogen, halogen, C1-5 alkyl, C1-5 alkoxy, C1-5 alkyl C1-5 alkoxy, hydroxy, hydroxy C1-5 alkyl or amino optionally mono- or di-substituted by C1-5 alkyl, aryl or aryl C1-5 alkyl;

9/268

$R_5$  is chosen from a bond, -O-, -S-, -N<, -NH-, C(O), a linear chain chosen from -NH(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, -(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, -O(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, -C(O)-O(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, -S(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, C(O)(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>- and -C(O)NH(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, wherein n is 1-5 and each of the aforementioned  $R_5$  is further substituted by  $R^a$ ,  
or  $R_5$  is aryl optionally substituted by  $R^a$ ;

$R^a$  and  $R^b$  are each independently chosen from hydrogen, C1-5 alkyl, hydroxyC1-5 alkyl, C2-5 alkenyl, C2-5 alkynyl, carbocycle, C1-5 alkoxy, C1-5 alkylthio, amino, C1-5 alkylamino, C1-5 dialkylamino, C1-5 acyl, C1-5 alkoxycarbonyl, C1-5 acyloxy, C1-5 acylamino, each of the aforementioned are optionally partially or fully halogenated, or  $R^a$  and  $R^b$  are chosen from C1-5 alkylsulfonylamino, hydroxy, oxo, halogen, nitro and nitrile, and

each X is independently O or S

or the pharmaceutically acceptable salts, acids, esters or isomers thereof.

Claim 2 (previously amended): The compound according to claim 1 wherein:

J is chosen from C1-10 alkyl, aryl or C3-7 cycloalkyl each optionally substituted by  $R^b$ ;

$R_2$  is independently chosen from C1-6 alkyl which may optionally be partially or fully halogenated, acetyl, aroyl, C1-4 alkoxy, which may optionally be partially or fully halogenated, halogen, methoxycarbonyl, phenylsulfonyl and -SO<sub>2</sub>-CF<sub>3</sub>;

n is 1-4;

$R^a$  and  $R^b$  are each independently chosen from hydrogen, C1-5 alkyl, C2-5 alkenyl, C2-5 alkynyl, C3-8 cycloalkyl, C0-2 alkyl, aryl, C1-5 alkoxy, C1-5 alkylthio, amino, C1-5 alkylamino, C1-5 dialkylamino, C1-5 acyl, C1-5 alkoxycarbonyl, C1-5 acyloxy, C1-5 acylamino, C1-5 sulfonylamino, hydroxy, halogen, trifluoromethyl, nitro and nitrile;

9/268

$R_7$  is hydrogen;

and each X is O.

Claim 3 (original): The compound according to claim 2 wherein

$R_5$  is chosen from -O-, -S-, -NH-, C(O), a linear chain chosen from -NH(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, - (CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, -O(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, -C(O)-O(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, -S(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, C(O)(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>- and -C(O)NH(CR<sub>7</sub>R<sub>8</sub>)<sub>n</sub>-, wherein n is 1-3 and each of the aforementioned  $R_5$  is further substituted by R<sup>a</sup>.

Claim 4 (previously amended): The compound according to claim 3 wherein

Ar<sup>1</sup> is chosen from cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl and cycloheptyl, phenyl, naphthyl, tetrahydronaphthyl, indanyl and indenyl,

R<sup>1</sup> is NO<sub>2</sub>, NH<sub>2</sub>, C1-3acylNH- or the formula:

J-S(O)<sub>m</sub>-N(R<sup>c</sup>)-;

J is C1-10 alkyl;

R<sub>2</sub> is independently chosen from C1-6 alkyl which may optionally be partially or fully halogenated and C1-3 alkoxy, which may optionally be partially or fully halogenated;

R<sub>3</sub> and R<sub>4</sub> are each independently chosen from hydrogen, C1-3 alkyl and chloro;

R<sub>6</sub> is chosen from hydrogen and amino;


9/268

$R_5$  is:  $-NH-$ ,  $C(O)-$ , a linear chain chosen from  $-NH(CR_7R_8)_n-$ ,  $-(CR_7R_8)_n-$ ,  $-O(CR_7R_8)_n-$ ,  $-C(O)-O(CR_7R_8)_n-$ ,  $C(O)(CR_7R_8)_n-$  and  $-C(O)NH(CR_7R_8)_n-$  wherein  $n$  is 1-2 and each of the aforementioned  $R_5$  is further substituted by  $R^a$ ,

$R^a$  and  $R^b$  are each independently chosen from hydrogen, C1-5 alkyl, C3-7 cycloalkyl, C0-2 alkyl, aryl, C1-5 alkoxy, amino, C1-5 alkylamino, C1-3 dialkylamino, C1-3 acyl, C1-5 alkoxycarbonyl, C1-3 acyloxy, C1-3 acylamino, C1-3 sulphonylamino, hydroxy, halogen, trifluoromethyl, nitro and nitrile.

Claim 5 (previously amended): The compound according to claim 4 wherein

$Ar^1$  is



$R^1$  is the formula:

$J-S(O)_2-NH-$ ;

$J$  is C1-5 alkyl;

$R_2$  is independently chosen from C1-5 alkyl which may optionally be partially or fully halogenated and C1-2 alkoxy, which may optionally be partially or fully halogenated;

$R_3$  is hydrogen;

$R_4$  is chosen from hydrogen and methyl;

9/268


$R_8$  is chosen from hydrogen, methyl, ethyl,  $\text{CH}_2\text{OH}$  and  $\text{CH}_2\text{OCH}_3$ .

Claim 6 (previously amended): The compound according to claim 5 wherein

$R^a$  is chosen from hydrogen, C1-5 alkyl, C3-6 cycloalkyl, phenyl, C1-5 alkoxy, C1-5 alkoxycarbonyl, C1-3 acyloxy, C1-3 acylamino, hydroxyl and halogen.

Claim 7 (previously amended): The compound according to claim 6 wherein

$\text{Ar}^1$  is



$R_5$  is  $-\text{NH}(\text{CR}_7\text{R}_8)_n-\text{R}^a$ , wherein  $\text{R}^a$  is chosen from phenyl, cyclopropyl, cyclohexyl, C1-5 alkyl and C1-3 alkoxy.

Claim 8 (previously amended): A compound chosen from

1-[5-(3-Methanesulfonylamino-2-methoxy-5-trifluoromethyl-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methyl ester

1-[5-(5-*tert*-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

9/268

1-[5-(5-*tert*-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid benzylamide

1-[5-(5-*tert*-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methyl ester

1-[3-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

1-[3-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid benzylamide

1-[3-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2,3-dimethyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid benzylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2,3-dimethyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methyl ester

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-propyl)-amide

9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ethyl ester

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methyl ester

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-fluoro-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid benzylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-fluoro-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-3-fluoro-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1,2,2-trimethyl-propyl)-amide

1-{5-[3-Methanesulfonylamino-2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenylcarbamoyl]-2-methyl-phenyl}-1*H*-[1,2,3]triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-cyclohexylethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-1,2,2-trimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-1-cyclohexylethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-2-dimethylamino-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid ((*R*)-3-dimethylamino-1-phenyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-2-methoxy-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (1-methyl-1-phenylethyl)-amide



9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(3-Amino-5-*tert*-butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-{5-[3-Methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenylcarbamoyl]-2-methyl-phenyl}-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2-dimethylamino-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2-hydroxy-2-methyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2-dimethylamino-2-methyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid 3-methyl-benzylamide

9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid benzylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid phenylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid *p*-tolylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid *m*-tolylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid *o*-tolylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid benzyl-methyl-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid ((*S*)-2-dimethylamino-1-phenyl-ethyl)-methyl-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclohexylmethyl-amide

9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopentylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopentylmethylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopropylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopropylmethylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ethyl ester

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methyl ester

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid *tert*-butylamide

1-{5-[3-Methanesulfonylamino-2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenylcarbamoyl]-2-methyl-phenyl}-1*H*-1,2,3-triazole-4-carboxylic acid ethyl ester

9/268

3-(4-Benzoyl-1,2,3-triazol-1-yl)-N-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-benzamide

3-{1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carbonyl}-benzoic acid methyl ester

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid ((*S*)-1,2,2-trimethyl-propyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid methyl ester

N-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-(4-cyclohexanecarbonyl-1,2,3-triazol-1-yl)-4-methyl-benzamide

N-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-[4-((*S*)-3-hydroxy-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

9/268

*N*-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-[4-(2,6-dichloro-benzoyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

*N*-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-[4-(2,6-dimethyl-benzoyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

*N*-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-3-[4-((*R*)-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-benzamide and

*N*-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-3-[4-(2-methyl-benzoyl)-1,2,3-triazol-1-yl]-benzamide

or the pharmaceutically acceptable salts, acids, esters or isomers thereof.

Claim 9 (previously amended): A compound chosen from

1-[5-(5-*tert*-Butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-chloro-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-propyl)-amide

9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1,2,2-trimethyl-propyl)-amide

1-[5-(3-Amino-5-*tert*-butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-[3-Methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenylcarbamoyl]-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-cyclohexylethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-propyl)-amide

1-[5-[3-Methanesulfonylamino-2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenylcarbamoyl]-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-2-methoxy-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2-hydroxy-2-methyl-propyl)-amide

9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclohexylmethyl-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopentylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopentylmethyl-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid ((*S*)-1,2,2-trimethyl-propyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid *o*-tolylamide

9/268

*N*-(5-*tert*-Butyl-  
cyclohexanecar

*N*-(5-*tert*-Butyl  
hydroxy-2-phe

*N*-(5-*tert*-Buty  
((*R*)-2-phenyl-

1-[5-(5-*tert*-B)  
methyl-phenyl  
phenyl-ethyl)-

or the pharmaceu

Claim 10 (withdr  
chosen from:

osteoarthritis, at  
injury, asthma, r  
colitis, psoriasis  
~~dependent-diabe~~  
disease, diabete  
myocardial infa  
respiratory distr  
glomerulonephr  
meningitis, sy  
~~transfusion-ass~~  
restenosis follo  
sepsis, chronic



9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1,2,2-trimethyl-propyl)-amide

1-[5-(3-Amino-5-*tert*-butyl-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-{5-[3-Methanesulfonylamino-2-methoxy-5-(1-methyl-cyclopropyl)-phenylcarbamoyl]-2-methyl-phenyl}-1*H*-[1,2,3]triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-cyclohexyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-propyl)-amide

1-{5-[3-Methanesulfonylamino-2-methoxy-5-(2,2,2-trifluoro-1-trifluoromethyl-ethyl)-phenylcarbamoyl]-2-methyl-phenyl}-1*H*-[1,2,3]triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-2-methoxy-1-phenyl-ethyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2-hydroxy-2-methyl-propyl)-amide

9/268

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclohexylmethyl-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopentylamide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid cyclopentylmethyl-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*R*)-1-phenyl-ethyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid (2,2-dimethyl-propyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid ((*S*)-1,2,2-trimethyl-propyl)-amide

5-Amino-1-[5-(5-*tert*-butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid (3-dimethylamino-2,2-dimethyl-propyl)-amide

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-[1,2,3]triazole-4-carboxylic acid *o*-tolylamide

9/268

*N*-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-(4-cyclohexanecarbonyl-1,2,3-triazol-1-yl)-4-methyl-benzamide

*N*-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-3-[4-((*S*)-3-hydroxy-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-4-methyl-benzamide

*N*-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenyl)-4-methyl-3-[4-((*R*)-2-phenyl-propionyl)-1,2,3-triazol-1-yl]-benzamide and

1-[5-(5-*tert*-Butyl-3-methanesulfonylamino-2-methoxy-phenylcarbamoyl)-2-methyl-phenyl]-1*H*-1,2,3-triazole-4-carboxylic acid ((*S*)-2-dimethylamino-1-phenyl-ethyl)-amide

or the pharmaceutically acceptable salts, acids, esters or isomers thereof.


Claim 10 (withdrawn - currently amended): A method of treating a disease or condition chosen from:  
 osteoarthritis, atherosclerosis, contact dermatitis, bone resorption diseases, reperfusion injury, asthma, multiple sclerosis, Guillain-Barre syndrome, Crohn's disease, ulcerative colitis, psoriasis, graft versus host disease, systemic lupus erythematosus and ~~insulin-dependent diabetes mellitus~~, rheumatoid arthritis, toxic shock syndrome, Alzheimer's disease, diabetes, inflammatory bowel diseases, acute and chronic pain, stroke, myocardial infarction, ~~alone or following thrombolytic therapy~~, thermal injury, adult respiratory distress syndrome (ARDS), multiple organ injury secondary to trauma, acute glomerulonephritis, dermatoses with acute inflammatory components, acute purulent meningitis, ~~syndromes associated with hemodialysis, leukopheresis, granulocyte transfusion associated syndromes~~, necrotizing enterocolitis, ~~complications including restenosis following percutaneous transluminal coronary angioplasty, traumatic arthritis, sepsis, chronic obstructive pulmonary disease and congestive heart failure~~ said method

9/268

comprising administering to a patient a pharmaceutically effective amount of a compound according to claim 1.


Claim 11 (cancelled).

Claim 12 (withdrawn): A process of making a compound of the formula:




wherein  $Ar_1$ ,  $R_3$ ,  $R_4$  and  $R^5$  are as defined in claim 1 and  $R_5$  is  $-NHR^5$ ;  
said process comprising:

reacting a 3-aminobenzoic acid (II) with  $NaNO_2$  in an aqueous acid at about  $0^\circ C$ ;  
reacting the formed diazonium salt *in situ* with a cold aqueous solution of  $NaN_3$  at about  $0^\circ C$  to provide the azide III:




reacting the azide III with an alkyne ester IVa in a suitable solvent at about  $100^\circ C$  to  $120^\circ C$ , or with a copper catalyst to provide triazole Va and its regioisomer:


9/268



coupling under suitable conditions the intermediate Va and  $\text{Ar}_1\text{NH}_2$  intermediate to produce the ester of formula I ( $\text{R}_5$  is  $-\text{OR}^a$ ):




hydrolyzing the ester of formula I with aqueous base in a suitable solvent to provide the carboxylic acid of formula I ( $\text{R}_5 = -\text{OH}$ ):



coupling the carboxylic acid of formula I with amine  $\text{R}^a\text{NH}_2$  under suitable coupling conditions to provide the product compound of formula I ( $\text{R}_5 = -\text{NHR}^a$ ):

9/268



**Claim 13 (original):** A pharmaceutical composition containing a pharmaceutically effective amount of a compound according to claim 1 and one or more pharmaceutically acceptable carriers and/or adjuvants.

**Claim 14 (previously presented):** The compound according to claim 5 and wherein:  
R<sup>4</sup> is methyl;

R<sup>3</sup> is chosen from hydrogen, C1-5 alkyl, C3-6 cycloalkyl, C0-2 alkyl, phenyl, C1-5 alkoxy, amino, C1-5 alkylamino, C1-3 dialkylamino, C1-3 acyl, C1-5 alkoxycarbonyl, C1-3 acyloxy, C1-3 acylamino, hydroxyl and halogen.